

# CHIROPRACTIC REGISTRATION

How did you hear about us? \_\_\_\_\_

Who is your primary physician? \_\_\_\_\_ Clinic or hospital? \_\_\_\_\_

## PATIENT INFORMATION

Patient Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_ Sex: \_\_\_\_\_

Home Phone: \_\_\_\_\_ Cell: \_\_\_\_\_ Work: \_\_\_\_\_

Email Address: \_\_\_\_\_

Street Address: \_\_\_\_\_ City, State, Zip: \_\_\_\_\_

## PLEASE PRESENT YOUR INSURANCE CARD AND ID FOR SCANNING

Insurance Carrier: \_\_\_\_\_ ID or Claim Number: \_\_\_\_\_

Group Number: \_\_\_\_\_ Subscriber: \_\_\_\_\_

Date of Birth: \_\_\_\_\_

Relationship to Subscriber:                      **Self**                      **Spouse**                      **Dependent**

Claims Address: \_\_\_\_\_

For L&I and Auto Injury, Please specify date of accident:

**Auto**                      **Work**                      **Home**                      **Other**

To whom have you made a report of your accident?

**Auto Insurance**                      **Employer**                      **Work Comp**                      **Other**

What is their contact name and number? \_\_\_\_\_

## Please read the following carefully before signing:

I, the undersigned, understand that payment is expected in full at the time of service, including all copay amounts for insurance billing. I authorize the treatment of the person named above to agree to pay all fees for such treatment. I hereby authorize my health care practitioner(s) to receive all benefits to which I and/or my dependents are entitled under my health insurance plan. In addition, I will not withhold or delay payment if my insurance company denies payment of any of my charges. I have also been informed of the \$50.00 fee (per RCW 62A, 3-515 & 520) on all checks returned by my bank NSF.

I, the undersigned, agree that I am obligated to pay for this account. Should the balance of this account exceed an amount I am able to pay in full within 30 days, a 1% per month re-billing fee will be applied (per RCW 19.52) unless a mutually satisfying solution is agreed upon by both the undersigned and my health care practitioner(s).

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## Informed Consent

Please read the following so that we may discuss any questions or concerns you might have.

### **The Chiropractic Adjustment:**

The primary treatment used by doctors of chiropractic is the spinal adjustment. I will be using that procedure to treat you. I use my hands and sometimes a small mechanical device (called the Activator tool) upon your body in such a way as to restore motion and neurologically refresh and stimulate the joints of your body which may be jammed or moving incorrectly. Very often this procedure causes an audible “pop” or “click,” similar to the sensation of your knuckles “cracking.” You may also feel or sense movement.

### **The Material Risks Inherent in Chiropractic Adjustments:**

As with any health care procedure, there are certain complications that may arise during a chiropractic adjustment. Those complications include: fractures, disc injuries, dislocations and muscle strain, Horner’s syndrome, diaphragmatic spasm, cervical myelopathy and costovertebral separations. Some types of manipulations of the neck have been associated with complications including stroke. Typically the stroke is in progress and it's imperative to recognize the signs and symptoms, of which our practitioners have received extensive training to properly identify. In addition some patients may feel associated stiffness and soreness following the first few days of treatment.

### **The Probability of Those Risks Occurring:**

Fractures are rare occurrences and generally result from some underlying weakness of the bone which is evaluated through the information in your history forms, your physical examination, and when necessary; x-ray studies. Stroke has been the subject of tremendous attention which has resulted in a thorough review of the risks; the retroactive 4 year study indicated that, at most, there is a chance of one per four million office visits to a health care office (including medical offices) of such an outcome. Since even that risk should be avoided if possible, I employ tests in my examination that help to identify whether or not you may be susceptible to that kind of injury. The other complications are also generally described as “rare.”

### **Ancillary Treatment:**

In addition to chiropractic adjustments I routinely use the following treatments:

- Various soft tissue/non-force techniques
- Moist hot packs and moist ice applications (as necessary)
- Therapeutic Exercises
- Mechanical Traction
- Kinesio-Tape

## **Privacy Practice Acknowledgment**

I give my consent to use or disclose my protected health information to carry out my treatment, to obtain payment from insurance companies, and for health care operations like quality reviews.

I have been informed that I may review the Notice of Privacy Practices (for more complete description of uses and disclosures) before signing this consent.

I understand that I have the right to request a restriction of how my protected health information is used. However, I also understand that this cannot be enforced retroactively and can only be used moving forward.

Please read and sign below:

I have read the above explanation of the chiropractic adjustment and related treatment. By signing below I state that I have weighed the benefits vs risks involved in undergoing treatment and have myself decided that it is in my best interest to undergo the treatment recommended. Having been informed of the risks, I hereby give my consent to that treatment.

Patient Name (printed): \_\_\_\_\_

Patient Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Parent/Guardian Signature: \_\_\_\_\_ Date: \_\_\_\_\_

# GOALS OF CARE:

**“If you don’t know where you’re going, any road will get you there.” — Lewis Carroll**

This section is important to read and fill out, so we have a clear understanding of what your goals are. This may change after we go through your patient history and physical exam or even as we progress through care, but it’s important we establish targets. Having a goal will help us determine which tests to do, which treatment style will be most effective, and where we should focus our efforts, so we create the best results and highest satisfaction possible. Please circle as many of the goals as you like. If you have any questions, please let the doctor know. Our goal is to help you reach yours.

My main concern(s) is/are: \_\_\_\_\_

My goal(s) is/are:

- ☐ Posture Correction: *“I recognize I have poor posture especially when I’m not paying attention. I would like better posture without having to constantly remind myself.”*
- ☐ Pain Management: *“I’m tired of feeling uncomfortable. I recognize that pain is a symptom of a greater issue, but my immediate concern is getting rid of the pain.”*
- ☐ Functional Rehabilitation: *“I’m experiencing discomfort and realize it’s because there is a deeper issue. I want to address the underlying cause of the pain so that I not only feel better now, but my body is more resilient in the future.”*
- ☐ Health and Wellness: *“I am concerned with my overall health and would like a plan that optimizes my body’s function, posture, and nutrition. (COMPLETE pages 9&10 "REVIEW OF SYSTEMS" IF YOU MARKED THIS AS A GOAL)*
- ☐ Maintenance: *“Currently I am feeling good, but I recognize the benefits to preventative care. Just like visiting the dentist for good oral health, I’m interested in regular chiropractic care for the health of my body.”*
- ☐ Other (Please describe): \_\_\_\_\_

This page intentionally left blank

# Patient Health Questionnaire - PHQ

ACN Group, Inc. - Form PHQ-202

ACN Group, Inc. Use Only rev 7/18/05

Patient Name \_\_\_\_\_ Date \_\_\_\_\_


## 1. Describe your symptoms

a. When did your symptoms start?

b. How did your symptoms begin?

## 2. How often do you experience your symptoms? Indicate where you have pain or other symptoms

- ① Constantly (76-100% of the day)
- ② Frequently (51-75% of the day)
- ③ Occasionally (26-50% of the day)
- ④ Intermittently (0-25% of the day)



## 3. What describes the nature of your symptoms?

- ① Sharp
- ② Dull ache
- ③ Numb
- ④ Shooting
- ⑤ Burning
- ⑥ Tingling

## 4. How are your symptoms changing?

- ① Getting Better
- ② Not Changing
- ③ Getting Worse

## 5. During the past 4 weeks:

a. Indicate the average intensity of your symptoms

None ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ Unbearable ⑩

b. How much has pain interfered with your normal work (including both work outside the home, and housework)

- ① Not at all
- ② A little bit
- ③ Moderately
- ④ Quite a bit
- ⑤ Extremely

## 6. During the past 4 weeks how much of the time has your condition interfered with your social activities?

(like visiting with friends, relatives, etc)

- ① All of the time
- ② Most of the time
- ③ Some of the time
- ④ A little of the time
- ⑤ None of the time

## 7. In general would you say your overall health right now is...

- ① Excellent
- ② Very Good
- ③ Good
- ④ Fair
- ⑤ Poor

## 8. Who have you seen for your symptoms?

- ① No One
- ② Chiropractor
- ③ Medical Doctor
- ④ Physical Therapist
- ⑤ Other

a. What treatment did you receive and when?

b. What tests have you had for your symptoms and when were they performed?

- ① Xrays date: \_\_\_\_\_
- ② MRI date: \_\_\_\_\_
- ③ CT Scan date: \_\_\_\_\_
- ④ Other date: \_\_\_\_\_

## 9. Have you had similar symptoms in the past?

a. If you have received treatment in the past for the same or similar symptoms, who did you see?

- ① Yes
- ② No
- ① This Office
- ② Chiropractor
- ③ Medical Doctor
- ④ Physical Therapist
- ⑤ Other

## 10. What is your occupation?

a. If you are not retired, a homemaker, or a student, what is your current work status?

- ① Professional/Executive
- ② White Collar/Secretarial
- ③ Tradesperson
- ④ Laborer
- ⑤ Homemaker
- ⑥ FT Student
- ⑦ Retired
- ⑧ Other
- ① Full-time
- ② Part-time
- ③ Self-employed
- ④ Unemployed
- ⑤ Off work
- ⑥ Other

Patient Health Questionnaire - page 2

ACN Group, Inc PHQ-102

ACN Group, Inc. Use Only rev 3/27/2003

What type of regular exercise do you perform? ① None ② Light ③ Moderate ④ Strenuous

What is your height and weight? Height [ ] [ ] [ ] Weight [ ] [ ] [ ] lbs. Feet Inches

For each of the conditions listed below, place a check in the Past column if you have had the condition in the past. If you presently have a condition listed below, place a check in the Present column.

Past	Present	Past	Present	Past	Present
<input type="checkbox"/>	<input type="checkbox"/> Headaches	<input type="checkbox"/>	<input type="checkbox"/> High Blood Pressure	<input type="checkbox"/>	<input type="checkbox"/> Diabetes
<input type="checkbox"/>	<input type="checkbox"/> Neck Pain	<input type="checkbox"/>	<input type="checkbox"/> Heart Attack	<input type="checkbox"/>	<input type="checkbox"/> Excessive Thirst
<input type="checkbox"/>	<input type="checkbox"/> Upper Back Pain	<input type="checkbox"/>	<input type="checkbox"/> Chest Pains	<input type="checkbox"/>	<input type="checkbox"/> Frequent Urination
<input type="checkbox"/>	<input type="checkbox"/> Mid Back Pain	<input type="checkbox"/>	<input type="checkbox"/> Stroke	<input type="checkbox"/>	<input type="checkbox"/> Smoking/Use Tobacco Products
<input type="checkbox"/>	<input type="checkbox"/> Low Back Pain	<input type="checkbox"/>	<input type="checkbox"/> Angina	<input type="checkbox"/>	<input type="checkbox"/> Drug/Alcohol Dependence
<input type="checkbox"/>	<input type="checkbox"/> Shoulder Pain	<input type="checkbox"/>	<input type="checkbox"/> Kidney Stones	<input type="checkbox"/>	<input type="checkbox"/> Allergies
<input type="checkbox"/>	<input type="checkbox"/> Elbow/Upper Arm Pain	<input type="checkbox"/>	<input type="checkbox"/> Kidney Disorders	<input type="checkbox"/>	<input type="checkbox"/> Depression
<input type="checkbox"/>	<input type="checkbox"/> Wrist Pain	<input type="checkbox"/>	<input type="checkbox"/> Bladder Infection	<input type="checkbox"/>	<input type="checkbox"/> Systemic Lupus
<input type="checkbox"/>	<input type="checkbox"/> Hand Pain	<input type="checkbox"/>	<input type="checkbox"/> Painful Urination	<input type="checkbox"/>	<input type="checkbox"/> Epilepsy
<input type="checkbox"/>	<input type="checkbox"/> Hip/Upper Leg Pain	<input type="checkbox"/>	<input type="checkbox"/> Loss of Bladder Control	<input type="checkbox"/>	<input type="checkbox"/> Dermatitis/Eczema/Rash
<input type="checkbox"/>	<input type="checkbox"/> Knee/Lower Leg Pain	<input type="checkbox"/>	<input type="checkbox"/> Prostate Problems	<input type="checkbox"/>	<input type="checkbox"/> HIV/AIDS
<input type="checkbox"/>	<input type="checkbox"/> Ankle/Foot Pain	<input type="checkbox"/>	<input type="checkbox"/> Abnormal Weight Gain/Loss		
<input type="checkbox"/>	<input type="checkbox"/> Jaw Pain	<input type="checkbox"/>	<input type="checkbox"/> Loss of Appetite		
<input type="checkbox"/>	<input type="checkbox"/> Joint Swelling/Stiffness	<input type="checkbox"/>	<input type="checkbox"/> Abdominal Pain		
<input type="checkbox"/>	<input type="checkbox"/> Arthritis	<input type="checkbox"/>	<input type="checkbox"/> Ulcer		
<input type="checkbox"/>	<input type="checkbox"/> Rheumatoid Arthritis	<input type="checkbox"/>	<input type="checkbox"/> Hepatitis		
<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> Liver/Gall Bladder Disorder		
<input type="checkbox"/>	<input type="checkbox"/> General Fatigue	<input type="checkbox"/>	<input type="checkbox"/> Cancer		
<input type="checkbox"/>	<input type="checkbox"/> Muscular Incoordination	<input type="checkbox"/>	<input type="checkbox"/> Tumor		
<input type="checkbox"/>	<input type="checkbox"/> Visual Disturbances	<input type="checkbox"/>	<input type="checkbox"/> Asthma		
<input type="checkbox"/>	<input type="checkbox"/> Dizziness	<input type="checkbox"/>	<input type="checkbox"/> Chronic Sinusitis		

Females Only  
☐ Birth Control Pills  
☐ Hormonal Replacement  
☐ Pregnancy  
☐

Other Health Problems/Issues  
☐ ☐  
☐ ☐  
☐ ☐

Indicate if an immediate family member has had any of the following:  
☐ Rheumatoid Arthritis ☐ Heart Problems ☐ Diabetes ☐ Cancer ☐ Lupus ☐

List all prescription and over-the-counter medications, and nutritional/herbal supplements you are taking:  
\_\_\_\_\_  
\_\_\_\_\_

List all the surgical procedures you have had and times you have been hospitalized:  
\_\_\_\_\_  
\_\_\_\_\_

Patient Signature \_\_\_\_\_ Date \_\_\_\_\_

Doctor's Additional Comments \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Doctors Signature \_\_\_\_\_ Date \_\_\_\_\_

## NECK DISABILITY INDEX

This questionnaire has been designed to give the doctor information as to how your neck pain has affected your ability to manage in everyday life. **Please answer every section and mark in each section only ONE box** which applies to you. We realize you may consider that two of the statements in any one section relate to you, but **please just mark the box which MOST CLOSELY describes your problem.**

### Section 1 - Pain Intensity

- ☐ I have no pain at the moment.
- ☐ The pain is very mild at the moment.
- ☐ The pain is moderate at the moment.
- ☐ The pain is fairly severe at the moment.
- ☐ The pain is very severe at the moment.
- ☐ The pain is the worst imaginable at the moment.

### Section 2 -- Personal Care (Washing, Dressing, etc.)

- ☐ I can look after myself normally without causing extra pain.
- ☐ I can look after myself normally but it causes extra pain.
- ☐ It is painful to look after myself and I am slow and careful.
- ☐ I need some help but manage most of my personal care.
- ☐ I need help every day in most aspects of self care.
- ☐ I do not get dressed, I wash with difficulty and stay in bed.

### Section 3 – Lifting

- ☐ I can lift heavy weights without extra pain.
- ☐ I can lift heavy weights but it gives extra pain.
- ☐ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table.
- ☐ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- ☐ I can lift very light weights.
- ☐ I cannot lift or carry anything at all.

### Section 4 – Reading

- ☐ I can read as much as I want to with no pain in my neck.
- ☐ I can read as much as I want to with slight pain in my neck.
- ☐ I can read as much as I want with moderate pain.
- ☐ I can't read as much as I want because of moderate pain in my neck.
- ☐ I can hardly read at all because of severe pain in my neck.
- ☐ I cannot read at all.

### Section 5-Headaches

- ☐ I have no headaches at all.
- ☐ I have slight headaches which come infrequently.
- ☐ I have slight headaches which come frequently.
- ☐ I have moderate headaches which come infrequently.
- ☐ I have severe headaches which come frequently.
- ☐ I have headaches almost all the time.

Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered a significant activities of daily living disability.  
(Score \_\_\_\_ x 2) / ( \_\_\_\_ Sections x 10) = \_\_\_\_\_ %ADL

### Section 6 – Concentration

- ☐ I can concentrate fully when I want to with no difficulty.
- ☐ I can concentrate fully when I want to with slight difficulty.
- ☐ I have a fair degree of difficulty in concentrating when I want to.
- ☐ I have a lot of difficulty in concentrating when I want to.
- ☐ I have a great deal of difficulty in concentrating when I want to.
- ☐ I cannot concentrate at all.

### Section 7—Work

- ☐ I can do as much work as I want to.
- ☐ I can only do my usual work, but no more.
- ☐ I can do most of my usual work, but no more.
- ☐ I cannot do my usual work.
- ☐ I can hardly do any work at all.
- ☐ I can't do any work at all.

### Section 8 – Driving

- ☐ I drive my car without any neck pain.
- ☐ I can drive my car as long as I want with slight pain in my neck.
- ☐ I can drive my car as long as I want with moderate pain in my neck.
- ☐ I can't drive my car as long as I want because of moderate pain in my neck.
- ☐ I can hardly drive my car at all because of severe pain in my neck.
- ☐ I can't drive my car at all.

### Section 9 – Sleeping

- ☐ I have no trouble sleeping.
- ☐ My sleep is slightly disturbed (less than 1 hr. sleepless).
- ☐ My sleep is moderately disturbed (1-2 hrs. sleepless).
- ☐ My sleep is moderately disturbed (2-3 hrs. sleepless).
- ☐ My sleep is greatly disturbed (3-4 hrs. sleepless).
- ☐ My sleep is completely disturbed (5-7 hrs. sleepless).

### Section 10 – Recreation

- ☐ I am able to engage in all my recreation activities with no neck pain at all.
- ☐ I am able to engage in all my recreation activities, with some pain in my neck.
- ☐ I am able to engage in most, but not all of my usual recreation activities because of pain in my neck.
- ☐ I am able to engage in a few of my usual recreation activities because of pain in my neck.
- ☐ I can hardly do any recreation activities because of pain in my neck.
- ☐ I can't do any recreation activities at all.

Comments \_\_\_\_\_ %ADL

# LOW BACK DISABILITY QUESTIONNAIRE (REVISED OSWESTRY)

Patient's Name \_\_\_\_\_ Number \_\_\_\_\_ Date \_\_\_\_\_

This questionnaire has been designed to give the doctor information as to how your back pain has affected your ability to manage in everyday life. **Please answer every section and mark in each section only ONE box** which applies to you. We realize you may consider that two of the statements in any one section relate to you, but **please just mark the box which MOST CLOSELY describes your problem.**

## Section 1 - Pain Intensity

- ☐ I can tolerate the pain without having to use painkillers.
- ☐ The pain is bad but I can manage without taking painkillers.
- ☐ Painkillers give complete relief from pain.
- ☐ Painkillers give moderate relief from pain.
- ☐ Painkillers give very little relief from pain.
- ☐ Painkillers have no effect on the pain and I do not use them.

## Section 2 -- Personal Care (Washing, Dressing, etc.)

- ☐ I can look after myself normally without causing extra pain.
- ☐ I can look after myself normally but it causes extra pain.
- ☐ It is painful to look after myself and I am slow and careful.
- ☐ I need some help but manage most of my personal care.
- ☐ I need help every day in most aspects of self care.
- ☐ I do not get dressed, I wash with difficulty and stay in bed.

## Section 3 – Lifting

- ☐ I can lift heavy weights without extra pain.
- ☐ I can lift heavy weights but it gives extra pain.
- ☐ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table.
- ☐ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.
- ☐ I can lift very light weights.
- ☐ I cannot lift or carry anything at all.

## Section 4 – Walking

- ☐ Pain does not prevent me from walking any distance.
- ☐ Pain prevents me from walking more than one mile.
- ☐ Pain prevents me from walking more than one-half mile.
- ☐ Pain prevents me from walking more than one-quarter mile.
- ☐ I can only walk using a stick or crutches.
- ☐ I am in bed most of the time and have to crawl to the toilet.

## Section 5 -- Sitting

- ☐ I can sit in any chair as long as I like
- ☐ I can only sit in my favorite chair as long as I like
- ☐ Pain prevents me from sitting more than one hour.
- ☐ Pain prevents me from sitting more than 30 minutes.
- ☐ Pain prevents me from sitting more than 10 minutes.
- ☐ Pain prevents me from sitting almost all the time.

## Section 6 – Standing

- ☐ I can stand as long as I want without extra pain.
- ☐ I can stand as long as I want but it gives extra pain.
- ☐ Pain prevents me from standing more than 1 hour.
- ☐ Pain prevents me from standing more than 30 minutes.
- ☐ Pain prevents me from standing more than 10 minutes.
- ☐ Pain prevents me from standing at all.

## Section 7 -- Sleeping

- ☐ Pain does not prevent me from sleeping well.
- ☐ I can sleep well only by using tablets.
- ☐ Even when I take tablets I have less than 6 hours sleep.
- ☐ Even when I take tablets I have less than 4 hours sleep.
- ☐ Even when I take tablets I have less than 2 hours sleep.
- ☐ Pain prevents me from sleeping at all.

## Section 8 – Social Life

- ☐ My social life is normal and gives me no extra pain.
- ☐ My social life is normal but increases the degree of pain.
- ☐ Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g. dancing.
- ☐ Pain has restricted my social life and I do not go out as often.
- ☐ Pain has restricted my social life to my home.
- ☐ I have no social life because of pain.

## Section 9 – Traveling

- ☐ I can travel anywhere without extra pain.
- ☐ I can travel anywhere but it gives me extra pain.
- ☐ Pain is bad but I manage journeys over 2 hours.
- ☐ Pain is bad but I manage journeys less than 1 hour.
- ☐ Pain restricts me to short necessary journeys under 30 minutes.
- ☐ Pain prevents me from traveling except to the doctor or hospital.

## Section 10 – Changing Degree of Pain

- ☐ My pain is rapidly getting better.
- ☐ My pain fluctuates but overall is definitely getting better.
- ☐ My pain seems to be getting better but improvement is slow at the present.
- ☐ My pain is neither getting better nor worse.
- ☐ My pain is gradually worsening.
- ☐ My pain is rapidly worsening.

Comments \_\_\_\_\_

Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered significant activities of daily living disability.

(Score \_\_\_\_ x 2) / ( \_\_\_\_ Sections x 10) = \_\_\_\_\_ %ADL

Reference: Fairbank, Physiotherapy 1981; 66(8): 271-3, Hudson-Cook. In Roland, Jenner (eds.), Back Pain New Approaches To Rehabilitation & Education. Manchester Univ Press, Manchester 1989: 187-204



# REVIEW OF SYSTEMS

Name: \_\_\_\_\_ Age: \_\_\_\_\_ Sex: \_\_\_\_\_ Date: \_\_\_\_\_

## PART I

Please list your 5 major health concerns in order of importance:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_

## PART II

Please circle the appropriate number on all questions below. 0 as the least/never to 3 as the most/always.

### Category I

Feeling that bowels do not empty completely	0	1	2	3
Lower abdominal pain relieved by passing stool or gas	0	1	2	3
Alternating constipation and diarrhea	0	1	2	3
Diarrhea	0	1	2	3
Constipation	0	1	2	3
Hard, dry, or small stool	0	1	2	3
Coated tongue or "fuzzy" debris on tongue	0	1	2	3
Pass large amount of foul-smelling gas	0	1	2	3
More than 3 bowel movements daily	0	1	2	3
Use laxatives frequently	0	1	2	3

### Category II

Increasing frequency of food reactions	0	1	2	3
Unpredictable food reactions	0	1	2	3
Aches, pains, and swelling throughout the body	0	1	2	3
Unpredictable abdominal swelling	0	1	2	3
Frequent bloating and distention after eating	0	1	2	3
Abdominal intolerance to sugars and starches	0	1	2	3

### Category III

Intolerance to smells	0	1	2	3
Intolerance to jewelry	0	1	2	3
Intolerance to shampoo, lotion, detergents, etc	0	1	2	3
Multiple smell and chemical sensitivities	0	1	2	3
Constant skin outbreaks	0	1	2	3

### Category IV

Excessive belching, burping, or bloating	0	1	2	3
Gas immediately following a meal	0	1	2	3
Offensive breath	0	1	2	3
Difficult bowel movements	0	1	2	3
Sense of fullness during and after meals	0	1	2	3
Difficulty digesting fruits and vegetables; undigested food found in stools	0	1	2	3

### Category V

Stomach pain, burning, or aching 1-4 hours after eating	0	1	2	3
Use of antacids	0	1	2	3
Feel hungry an hour or two after eating	0	1	2	3
Heartburn when lying down or bending forward	0	1	2	3
Temporary relief by using antacids, food, milk, or carbonated beverages	0	1	2	3
Digestive problems subside with rest and relaxation	0	1	2	3
Heartburn due to spicy foods, chocolate, citrus, peppers, alcohol, and caffeine	0	1	2	3

### Category VI

Roughage and fiber cause constipation	0	1	2	3
Indigestion and fullness last 2-4 hours after eating	0	1	2	3
Pain, tenderness, soreness on left side under rib cage	0	1	2	3
Excessive passage of gas	0	1	2	3
Nausea and/or vomiting	0	1	2	3
Stool undigested, foul smelling, mucus like, greasy, or poorly formed	0	1	2	3
Frequent urination	0	1	2	3
Increased thirst and appetite	0	1	2	3

### Category VII

Abdominal distention after consumption of fiber, starches, and sugar	0	1	2	3
Abdominal distention after certain probiotic or natural supplements	0	1	2	3
Lowered gastrointestinal motility, constipation	0	1	2	3
Raised gastrointestinal motility, diarrhea	0	1	2	3
Alternating constipation and diarrhea	0	1	2	3
Suspicion of nutritional malabsorption	0	1	2	3
Frequent use of antacid medication	0	1	2	3
Have you been diagnosed with Celiac Disease, Irritable Bowel Syndrome, Diverticulosis/ Diverticulitis, or Leaky Gut Syndrome?	Yes	No		

### Category VIII

Greasy or high-fat foods cause distress	0	1	2	3
Lower bowel gas and/or bloating several hours after eating	0	1	2	3
Bitter metallic taste in mouth, especially in the morning	0	1	2	3
Burpy, fishy taste after consuming fish oils	0	1	2	3
Difficulty losing weight	0	1	2	3
Unexplained itchy skin	0	1	2	3
Yellowish cast to eyes	0	1	2	3
Stool color alternates from clay colored to normal brown	0	1	2	3
Reddened skin, especially palms	0	1	2	3
Dry or flaky skin and/or hair	0	1	2	3
History of gallbladder attacks or stones	0	1	2	3
Have you had your gallbladder removed?	Yes	No		

### Category IX

Acne and unhealthy skin	0	1	2	3
Excessive hair loss	0	1	2	3
Overall sense of bloating	0	1	2	3
Bodily swelling for no reason	0	1	2	3
Hormone imbalances	0	1	2	3
Weight gain	0	1	2	3
Poor bowel function	0	1	2	3
Excessively foul-smelling sweat	0	1	2	3

### Category X

Crave sweets during the day	0	1	2	3
Irritable if meals are missed	0	1	2	3
Depend on coffee to keep going/get started	0	1	2	3
Get light-headed if meals are missed	0	1	2	3
Eating relieves fatigue	0	1	2	3
Feel shaky, jittery, or have tremors	0	1	2	3
Agitated, easily upset, nervous	0	1	2	3
Poor memory/forgetful	0	1	2	3
Blurred vision	0	1	2	3

### Category XI

Fatigue after meals	0	1	2	3
Crave sweets during the day	0	1	2	3
Eating sweets does not relieve cravings for sugar	0	1	2	3
Must have sweets after meals	0	1	2	3
Waist girth is equal or larger than hip girth	0	1	2	3
Frequent urination	0	1	2	3
Increased thirst and appetite	0	1	2	3
Difficulty losing weight	0	1	2	3

**Category XII**

Cannot stay asleep	0	1	2	3
Crave salt	0	1	2	3
Slow starter in the morning	0	1	2	3
Afternoon fatigue	0	1	2	3
Dizziness when standing up quickly	0	1	2	3
Afternoon headaches	0	1	2	3
Headaches with exertion or stress	0	1	2	3
Weak nails	0	1	2	3

**Category XIII**

Cannot fall asleep	0	1	2	3
Perspire easily	0	1	2	3
Under a high amount of stress	0	1	2	3
Weight gain when under stress	0	1	2	3
Wake up tired even after 6 or more hours of sleep	0	1	2	3
Excessive perspiration or perspiration with little or no activity	0	1	2	3

**Category XIV**

Edema and swelling in ankles and wrists	0	1	2	3
Muscle cramping	0	1	2	3
Poor muscle endurance	0	1	2	3
Frequent urination	0	1	2	3
Frequent thirst	0	1	2	3
Crave salt	0	1	2	3
Abnormal sweating from minimal activity	0	1	2	3
Alteration in bowel regularity	0	1	2	3
Inability to hold breath for long periods	0	1	2	3
Shallow, rapid breathing	0	1	2	3

**Category XV**

Tired/sluggish	0	1	2	3
Feel cold—hands, feet, all over	0	1	2	3
Require excessive amounts of sleep to function properly	0	1	2	3
Increase in weight even with low-calorie diet	0	1	2	3
Gain weight easily	0	1	2	3
Difficult, infrequent bowel movements	0	1	2	3
Depression/lack of motivation	0	1	2	3
Morning headaches that wear off as the day progresses	0	1	2	3
Outer third of eyebrow thins	0	1	2	3
Thinning of hair on scalp, face, or genitals, or excessive hair loss	0	1	2	3
Dryness of skin and/or scalp	0	1	2	3
Mental sluggishness	0	1	2	3

**Category XVI**

Heart palpitations	0	1	2	3
Inward trembling	0	1	2	3
Increased pulse even at rest	0	1	2	3
Nervous and emotional	0	1	2	3
Insomnia	0	1	2	3

**Category XVI (Cont.)**

Night sweats	0	1	2	3
Difficulty gaining weight	0	1	2	3

**PART III**

How many alcoholic beverages do you consume per week? \_\_\_\_\_

Rate your stress level on a scale of 1-10 during the average week: \_\_\_\_\_

How many caffeinated beverages do you consume per day? \_\_\_\_\_

How many times do you eat fish per week? \_\_\_\_\_

How many times do you eat out per week? \_\_\_\_\_

How many times do you work out per week? \_\_\_\_\_

How many times do you eat raw nuts or seeds per week? \_\_\_\_\_

List the three worst foods you eat during the average week: \_\_\_\_\_

List the three healthiest foods you eat during the average week: \_\_\_\_\_

**PART IV****Please list any medications you currently take and for what conditions:****Please list any natural supplements you currently take and for what conditions:**